
PETKIT™

USER MANUAL

PETKIT AUTOSEAL CAT LITTER DISPOSAL SYSTEM



Please read this manual carefully before use
and keep it for future reference.

TABLE OF CONTENTS

PRODUCT CHECKLIST 3

PRODUCT INTRODUCTION 4

PRODUCT SETUP 5

PRODUCT USE 7

VIDEO GUIDE 13

BASIC SPECIFICATIONS 13


NOTICE TO USERS 14

SAFETY INSTRUCTIONS 14


RETURN TO CONTENTS

01 PRODUCT CHECKLIST


* Before setup, check the box against the list below to make sure all parts are included.




Main Unit



Feet ×4



Refill Ring (pre-installed)




Charging Cable



User Manual

RETURN TO CONTENTS

02 PRODUCT INTRODUCTION




* Due to continuous product improvements, there may be slight differences in the actual product (including but not limited to appearance, structure, and color). The product images displayed on packaging and promotional materials are for reference only.

RETURN TO CONTENTS


03 PRODUCT SETUP

❶ Insert the four feet into the slots on the bottom of the unit.




❷ Plug in the charging cable and charge until the indicator light turns solid green (about 4 hours), then unplug.

Note: The unit must be fully charged before first use.




❸ Press and hold the button for 3 seconds to power on.
A tone indicates the unit has powered on successfully.


* Green light turns on for about 3 seconds after startup, then turns off automatically.



❹ Open the lid manually and press the button. The sealing door will open automatically, then pull the bag down to the bottom.



❺ Close the lid and press down firmly until you hear a "click," confirming it's locked in place.




04 PRODUCT USE

4.1 Indicator Light & Button

Indicator Light

Flashing red: Low battery, please charge
Flashing light: Charging
Solid green: Fully charged*

* Green light turns off once the charging cable is unplugged.



Button

Press and hold: Power on / off

* Green light turns on for about 3 seconds after startup, then turns off automatically.

Press: Open / close the sealing door


* The lid must be open when using the button to open or close the sealing door.

4.2 Dropping Waste


* This product offers two modes of use. Choose the one that fits your needs:

4.2.1 Auto Mode (Ideal for those sensitive to odors)


❶ Open the lid manually, then drop waste into the bin.



❷ Close the lid and press firmly to snap it into place.




❸ The sealing door opens automatically to drop waste into the bin, then closes.




4.2.2 Manual Mode (Recommended for large clumps or clumps that break apart easily)


❶ Open the lid manually, then press the button; the sealing door will open automatically.



❷ Drop waste into the bin.



❸ After finished, close the lid; the sealing door will close automatically.




4.3 Heat-Sealing the Bag

*** When the waste bin is full, follow the steps below to heat-seal the bag.**

⚠ **Note:** Do not operate the heat-sealing function when the red light is on or during charging.


*** Keep children and pets away during operation to prevent contact with the heat-sealing module.**

❶ **Make sure the lid is closed securely. Press the unlock buttons on both sides at the same time to fold back the upper section.**




❷ **Lay the bag flat over the sealing groove.**

Note: If the bag isn't laid flat, or if it's stacked too thick, heat-sealing may fail.




❸ Push the lever forward. The heat-sealing module will begin sealing automatically.




❹ During sealing, the unit will beep repeatedly.
A long beep means sealing is complete.
Return the lever to its original position.

Note: Always return the lever to its original position after heat-sealing, or the product may not work properly.



❺ Take out the sealed bag and dispose of it.


Note: Never touch the sealing area directly to avoid burns.




❻ Pull out about 2–3 inches (5–8cm) of new bag.

Note: Do not let the bag get caught in the sealing groove.

* Check the bag is properly heat-sealed.




❼ Fold the upper section into place until it locks. Check that the unit is locked and the lid is closed securely.



4.4 Cleaning

The refill ring cover can be removed and rinsed. If the waste bin is dirty, wipe it clean with a damp cloth.

Note: Do not soak or submerge any other parts in water.



RETURN TO CONTENTS

05 VIDEO GUIDE

Setup and Maintenance Video



Click to view

06 BASIC SPECIFICATIONS

Name	PETKIT AUTOSEAL CAT LITTER DISPOSAL SYSTEM
Model	P9910, P9912
Material	ABS
Dimensions	11.61 x 7.32 x 15.55 in (295 x 186 x 395 mm)
Weight	Approx. 4.4 lb (2 kg)
Rated Input	5V ⎓ 2A
Battery Capacity	2000mAh
Charging Time	Approx. 4 hours

* This manual applies to models P9910 and P9912. Please refer to the product rating label for the specific model information.
* Dimensions are manually measured and may vary by 0.4–1.2 in (10–30 mm).

RETURN TO CONTENTS

07 NOTICE TO USERS

- Thank you for choosing PETKIT AUTOSEAL CAT LITTER DISPOSAL SYSTEM.
- Please read this manual carefully before use.
- By setting up or using this product, you confirm that you have read and agree to the safety instructions below.
- PETKIT is not responsible for any accidents or losses resulting from improper use, and assume no legal liability in such cases.

08 SAFETY INSTRUCTIONS

* Failure to follow these instructions may result in product malfunction or other unintended damage.

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- Children shall not play with the appliance.
- Cleaning and maintenance shall not be made by children without supervision.
- Do not operate the heat-sealing function when the red light is on or during charging.
- Use only PETKIT refill rings designed for this product. Using refills from other brands or types may cause the device to malfunction and stop working.
- The heat-sealing process reaches high temperatures. Follow the instructions carefully, and never touch the sealing area. Keep children and pets away to avoid burns.
- After heat-sealing, return the lever to its original position, or the product may not function properly.
- To extend the service life of the heat-sealing module, avoid repeated consecutive sealing operations.
- This product is intended for indoor use only.
- Avoid exposure to direct sunlight, excessive moisture, or strong electromagnetic interference.
- Use a certified 5V ⎓ 2A power adapter together with the original PETKIT charging cable.
- Place the device on a level surface. Do not tip over the device, as this may lead to a safety hazard.
- Repairs should only be performed by qualified personnel to avoid the risk of injury.
- For any product issues, please contact customer support promptly.

PETKIT Network Technology(Shanghai)Co.,Ltd.
www.petkit.com
support@petkit.com

V1.0